

Applicants : Rosen et al.
U.S. Serial No. : 09/445,054
Filing Date : March 27, 2000
Page : 3

1-[5-(1-Benzylimidazol)methyl]-2(S)-butyl-4-(1-naphthoyl)piperazine;

1-(5-[1-(4-nitrobenzyl)]imidazolylmethyl)-2(S)-butyl-4-(1-naphthoyl)piperazine;

1-(3-Acetamidomethylthio-2(R)-aminoprop-1-yl)-2(S)-butyl-4-(1-naphthoyl)piperazine;

2(S)-Butyl-1-[2-(1-imidazolyl)ethyl]sulfonyl-4-(1-naphthoyl)piperazine;

2(R)-Butyl-1-imidazolyl-4-methyl-4-(1-naphthoyl)piperazine;

2(S)-Butyl-4-(1-naphthoyl)-1-(3-pyridylmethyl)piperazine;

1-2(S)-butyl-(2(R)-(4-nitrobenzyl)amino-3-hydroxypropyl)-4-(1-naphthoyl)piperazine;

1-(2(R)-Amino-3-hydroxyheptadecyl)-2(S)-butyl-4-(1-naphthoyl)-piperazine;

2(S)-Benzyl-1-imidazolyl-4-methyl-4-(1-naphthoyl)piperazine;

1-(2(R)-Amino-3-(3-benzylthio)propyl)-2(S)-butyl-4-(1-naphthoyl)piperazine;

1-(2(R)-Amino-3-[3-(4-nitrobenzylthio)propyl])-2(S)-butyl-4-(1-naphthoyl)piperazine;

2(S)-Butyl-1-[(4-imidazolyl)ethyl]-4-(1-naphthoyl)piperazine;

2(S)-Butyl-1-[(4-imidazolyl)methyl]-4-(1-naphthoyl)piperazine;

2(S)-Butyl-1-[(1-naphth-2-ylmethyl)-1H-imidazol-5-yl]acetyl]-4-(1-naphthoyl)piperazine;

2(S)-Butyl-1-[(1-naphth-2-ylmethyl)-1H-imidazol-5-yl]ethyl]-4-(1-naphthoyl)piperazine;

1-(2(R)-Amino-3-hydroxypropyl)-2(S)-butyl-4-(1-naphthoyl)piperazine;

Applicants : M. Rosen et al.
U.S. Serial No. : 09/445,054
Filing Date : March 27, 2000
Page : 4

1-(2(R)-Amino-4-hydroxybutyl)-2(S)-butyl-4-(1-naphthoyl)piperazine;

1-(2-Amino-3-(2-benzyl oxyphenyl)propyl)-2(S)-butyl-4-(1-naphthoyl)piperazine;

1-(2-Amino-3-(2-hydroxyphenyl)propyl)-2(S)-butyl-4-(1-naphthoyl)piperazine;

1-[3-(4-imidazolyl)propyl]-2(S)-butyl-4-(1-naphthoyl)-piperazine;

2(S)-n-Butyl-4-(2,3-dimethylphenyl)-1-(4-imidazolylmethyl)-piperazin-5-one;

2(S)-n-Butyl-1-[1-(4-cyanobenzyl)imidazol-5-ylmethyl]-4-(2,3-dimethylphenyl)piperazin-5-one;

1-[1-(4-Cyanobenzyl)imidazol-5-ylmethyl]-4-(2,3-dimethylphenyl)-2(S)-(2-methoxyethyl)piperazin-5-one;

2(S)-n-Butyl-4-(1-naphthoyl)-1-[1-(1-naphthylmethyl)imidazol-5-ylmethyl]-piperazine;

2(S)-n-Butyl-4-(1-naphthoyl)-1-[1-(2-naphthylmethyl)imidazol-5-ylmethyl]-piperazine;

2(S)-n-Butyl-1-[1-(4-cyanobenzyl)imidazol-5-ylmethyl]-4-(1-naphthoyl)piperazine;

2(S)-n-Butyl-1-[1-(4-methoxybenzyl)imidazol-5-ylmethyl]-4-(1-naphthoyl)piperazine;

2(S)-n-Butyl-1-[1-(3-methyl-2-butenyl)imidazol-5-ylmethyl]-4-(1-naphthoyl)piperazine;

2(S)-n-Butyl-1-[1-(4-fluorobenzyl)imidazol-5-ylmethyl]-4-(1-naphthoyl)piperazine;

2(S)-n-Butyl-1-[1-(4-chlorobenzyl)imidazol-5-ylmethyl]-4-(1-naphthoyl)piperazine;

1-[1-(4-Bromobenzyl)imidazol-5-ylmethyl]-2(S)-n-butyl-4-(1-naphthoyl)piperazine;

Applicants : A. Rosen et al.
U.S. Serial No. : 09/445,054
Filing Date : March 27, 2000
Page : 5

2(S)-n-Butyl-4-(1-naphthoyl)-1-[1-(4-trifluoromethylbenzyl)imidazol-5-ylmethyl]-piperazine;

2(S)-n-Butyl-1-[1-(4-methylbenzyl)imidazol-5-ylmethyl]-4-(1-naphthoyl)-piperazine;

2(S)-n-Butyl-1-[1-(3-methylbenzyl)imidazol-5-ylmethyl]-4-(1-naphthoyl)-piperazine;

1-[1-(4-Phenylbenzyl)imidazol-5-ylmethyl]-2(S)-n-butyl-4-(1-naphthoyl)-piperazine;

2(S)-n-Butyl-4-(1-naphthoyl)-1-[1-(2-phenylethyl)imidazol-5-ylmethyl]-piperazine;

2(S)-n-Butyl-4-(1-naphthoyl)-1-[1-(4-trifluoromethoxy)imidazol-5-ylmethyl]piperazine;

1-[1-(4-cyanobenzyl)-1H-imidazol-5-yl]acetyl]-2(S)-n-butyl-4-(1-naphthoyl)piperazine;

(S)-1-(3-Chlorophenyl)-4-[1-(4-cyanobenzyl)-5-imidazolylmethyl]-5-[2-(methanesulfonyl)ethyl]-2-piperazinone;

(S)-1-(3-Chlorophenyl)-4-[1-(4-cyanobenzyl)-5-imidazolylmethyl]-5-[2-(ethanesulfonyl)ethyl]-2-piperazinone;

(R)-1-(3-Chlorophenyl)-4-[1-(4-cyanobenzyl)-5-imidazolylmethyl]-5-[2-(ethanesulfonyl)methyl]-2-piperazinone;

(S)-1-(3-Chlorophenyl)-4-[1-(4-cyanobenzyl)-5-imidazolylmethyl]-5-[N-ethyl-2-acetamido]-2-piperazinone;

(±)-5-(2-Butynyl)-1-(3-chlorophenyl)-4-[1-(4-cyanobenzyl)-5-imidazolylmethyl]-2-piperazinone;

1-(3-Chlorophenyl)-4-[1-(4-cyanobenzyl)-5-imidazolylmethyl]-2-piperazinone;

5(S)-Butyl-4-[1-(4-cyanobenzyl-2-methyl)-5-imidazolylmethyl]-1-(2,3-dimethylphenyl)-piperazin-2-one;

Applicants : W. Rosen et al.
U.S. Serial No. : 09/445,054
Filing Date : March 27, 2000
Page : 6

4-[1-(2-(4-Cyanophenyl)-2-propyl)-5-imidazolylmethyl]-1-(3-chlorophenyl)-5(S)-(2-methylsulfonylethyl)piperazin-2-one;

5(S)-n-Butyl-4-[1-(4-cyanobenzyl)-5-imidazolylmethyl]-1-(2-methylphenyl)piperazin-2-one;

4-[1-(4-Cyanobenzyl)-5-imidazolylmethyl]-5(S)-(2-fluoroethyl)-1-(3-chlorophenyl)piperazin-2-one;

4-[3-(4-Cyanobenzyl)pyridin-4-yl]-1-(3-chlorophenyl)-5(S)-(2-methylsulfonylethyl)-piperazin-2-one;

4-[5-(4-Cyanobenzyl)-1-imidazolylethyl]-1-(3-chlorophenyl)piperazin-2-one;

2(S)-[2(S)-[2(R)-Amino-3-mercaptopropylamino-3(S)-methyl]-pentyloxy-3-phenylpropionyl-homoserine lactone,

2(S)-[2(S)-[2(R)-Amino-3-mercaptopropylamino-3(S)-methyl]pentyloxy-3-phenylpropionyl-homoserine,

2(S)-[2(S)-[2(R)-Amino-3-mercaptopropylamino-3(S)-methyl]pentyloxy-2-methyl-3-phenylpropionyl-homoserine lactone,

2(S)-[2(S)-[2(R)-Amino-3-mercaptopropylamino-3(S)-methyl]pentyloxy-2-methyl-3-phenylpropionyl-homoserine,

2(S)-[2(S)-[2(R)-Amino-3-mercaptopropylamino-3(S)-methyl]pentyloxy-4-pentenoyl-homoserine lactone,

2(S)-[2(S)-[2(R)-Amino-3-mercaptopropylamino-3(S)-methyl]-pentyloxy-4-pentenoyl-homoserine,

2(S)-[2(S)-[2(R)-Amino-3-mercaptopropylamino-3(S)-methyl]pentyloxy-pentanoyl-homoserine lactone,

2(S)-[2(S)-[2(R)-Amino-3-mercaptopropylamino-3(S)-methyl]pentyloxy-pentanoyl-homoserine,

2(S)-[2(S)-[2(R)-Amino-3-mercaptopropylamino-3(S)-methyl]5-pentyloxy-4-methylpentanoyl-homoserine lactone,

Applicants : N. Rosen et al.
U.S. Serial No. : 09/445,054
Filing Date : March 27, 2000
Page : 7

2(S)-[2(S)-[2(R)-Amino-3-mercaptopropylamino-3(S)-methyl]pentyloxy-4-methylpentanoyl-homoserine,

2(S)-[2(S)-[2(R)-Amino-3-mercaptopropylamino-3(S)-methyl]pentyloxy-3-methylbutanoyl-homoserine lactone,

2(S)-[2(S)-[2(R)-Amino-3-mercaptopropylamino-3(S)-methyl]pentyloxy-3-methylbutanoyl-homoserine,

2(S)-[2(S)-[2(R)-Amino-3-mercaptopropylamino-3(S)-methyl]pentyloxy-3-phenylbutanoyl-homoserine lactone,

2(S)-[2(S)-[2(R)-Amino-3-mercaptopropylamino-3(S)-methyl]pentyloxy-3-phenylbutanoyl-homoserine,

2(S)-[2(S)-[2(R)-Amino-3-mercaptopropylamino-3(S)-methyl]pentylothio-2-methyl-3-phenylpropionyl-homoserine lactone,

2(S)-[2(S)-[2(R)-Amino-3-mercaptopropylamino-3(S)-methyl]pentylothio-2-methyl-3-phenylpropionyl-homoserine,

2(S)-[2(S)-[2(R)-Amino-3-mercaptopropylamino-3(S)-methyl]pentylsulfonyl-2-methyl-3-phenylpropionyl-homoserine lactone,

2(S)-[2(S)-[2(R)-Amino-3-mercaptopropylamino-3(S)-methyl]pentylsulfonyl-2-methyl-3-phenylpropionyl-homoserine,

2(S)-[2(S)-[2(R)-Amino-3-mercaptopropylamino-3(S)-methyl]pentyloxy-3-phenylpropionyl-methionine methyl ester,

2(S)-[2(S)-[2(R)-Amino-3-mercaptopropylamino-3(S)-methyl]pentyloxy-3-phenylpropionyl-methionine,

2(S)-[2(S)-[2(R)-Amino-3-mercaptopropylamino-3(S)-methyl]pentyloxy-3-phenylpropionyl-methionine sulfone methyl ester,

Applicants : A. Rosen et al.
U.S. Serial No. : 09/445,054
Filing Date : March 27, 2000
Page : 8

2-(S)-[2(S)-[2(R)-Amino-3-mercaptopropylamino-3(S)-methyl]pentyloxy-3-phenylpropionyl-methionine sulfone
(Compound A),

2-(S)-[2(S)-[2(R)-Amino-3-mercaptopropylamino-3(S)-methyl]-pentyloxy-3-phenylpropionyl-methionine sulfone isopropyl ester,

2-(S)-[2(S)-[2(R)-Amino-3-mercaptopropylamino-3(S)-methyl]-pentyloxy-3-naphth-2-yl-propionyl-methionine sulfone methyl ester,

2-(S)-[2(S)-[2(R)-Amino-3-mercaptopropylamino-3(S)-methyl]-pentyloxy-3-naphth-2-yl-propionyl-methionine sulfone,

2-(S)-[2(S)-[2(R)-Amino-3-mercaptopropylamino-3(S)-methyl]pentyloxy-3-naphth-1-yl-propionyl-methionine sulfone methyl ester,

2-(S)-[2(R)-Amino-3-mercaptopropylamino-3(S)-methyl]pentyloxy-3-naphth-1-yl-propionyl-methionine sulfone,

2-(S)-[2(S)-[2(R)-Amino-3-mercaptopropylamino-3(S)-methyl]pentyloxy-3-methybutanoyl-methionine methyl ester.

2-(S)-[2(S)-[2(R)-Amino-3-mercaptopropylamino-3(S)-methyl]pentyloxy-3-methybutanoyl-methionine,

Disulphide of 2-(S)-[2(S)-[2(R)-Amino-3-mercaptopropylamino-3(S)methyl]pentyloxy-3-phenylpropionyl-homoserine lactone,

Disulphide of 2-(S)-[2(S)-[2(R)-Amino-3-mercaptopropylamino-3(S)-methyl]pentyloxy-3-phenylpropionyl-homoserine,

Disulphide of 2-(S)-[2(S)-[2(R)-Amino-3-mercaptopropylamino-3(S)methyl]pentyloxy-3-methylbutanoyl-methionine methyl ester

1-(4-Biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(4-Cyanobenzyl)-5-(4'-phenylbenzamido)ethyl-imidazole

Applicants : A. Rosen et al.
U.S. Serial No. : 09/445,054
Filing Date : March 27, 2000
Page : 9

1-(2'-Trifluoromethyl-4-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(4-Biphenylethyl)-5-(4-cyanobenzyl)imidazole

1-(2'-Bromo-4-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(2'-Methyl-4-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(2'-Trifluoromethoxy-4-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(4-(3',5'-dichloro)-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(2'-Methoxy-4-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(2'-Chloro-4-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(2-Chloro-4-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(3-Chloro-4-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(4-(3',5'-Bis-trifluoromethyl)-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(2'-Trifluoromethyl-4-biphenylmethyl)-5-(4-cyanobenzyl)-4-methylimidazole

1-(4-Biphenylmethyl)-5-(4-cyanophenoxy)imidazole

5-(4-Cyanophenoxy)-1-(2'-methyl-4-biphenylmethyl)imidazole

5-(4-Biphenyloxy)-1-(4-cyanobenzyl)imidazole

5-(2'-Methyl-4-biphenoxy)-1-(4-cyanobenzyl)imidazole

5-(4-(3',5'-dichloro)biphenylmethyl)-1-(4-cyanobenzyl)imidazole

1-(4-biphenylmethyl)-5-(1-(R,S)-acetoxy-1-(4-cyanophenyl)methyl)imidazole

Applicants : M. Rosen et al.
U.S. Serial No. : 09/445,054
Filing Date : March 27, 2000
Page : 10

1-(4-Biphenylmethyl)-5-(1-(R,S)-hydroxy-1-(4-cyanophenyl)-methylimidazole

1-(4-Biphenylmethyl)-5-(1-(R,S)-amino-1-(4-cyanophenyl)-methylimidazole

1-(4-biphenylmethyl)-5-(1-(R,S)-methoxy-1-(4-cyanophenyl)-methylimidazole

1-(4-Cyanobenzyl)-5-(1-hydroxy-1-(4-biphenyl)-methyl imidazole

1-(4-Cyanobenzyl)-5-(1-oxo-1-(4-biphenyl)-methyl imidazole

1-(4-Cyanobenzyl)-5-(1-hydroxy-1-(3-fluoro-4-biphenyl)-methyl) imidazole

1-(4-Cyanobenzyl)-5-(1-hydroxy-1-(3-biphenyl)methyl-imidazole

5-(2-[1,1'-Biphenyl]vinylene)-1-(4-cyanobenzyl)imidazole

1-[N-(1-(4-cyanobenzyl)-5-imidazolylmethyl)amino]-3-methoxy-4-phenylbenzene

1-(4-Biphenylmethyl)-5-(4-bromophenoxy)-imidazole

1-(3'-Methyl-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(4'-Methyl-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(3'-Trifluoromethyl-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(4'-Trifluoromethyl-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(3'-Chloro-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(4'-Chloro-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(2'3'-Dichloro-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

Applicants : N. Rosen et al.
U.S. Serial No. : 09/445,054
Filing Date : March 27, 2000
Page : 11

1-(2'4'-Dichloro-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(2'5'-Dichloro-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(3'-Trifluoromethoxy-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(2'-Fluoro-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(4-(2'-Trifluoromethylphenyl)-2-Chlorophenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(1-(4-(2'-trifluoromethylphenyl)phenyl)ethyl)-5-(4-cyanobenzyl) imidazole

1-(2'-Trifluoromethyl-4-biphenylpropyl)-5-(4-cyanobenzyl) imidazole

1-(2'-N-t-Butoxycarbonylamino-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(2'-Aminomethyl-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(2'-Acetylaminomethyl-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(2'-Methylsulfonylaminomethyl-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(2'-Ethylaminomethyl-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(2'-Phenylaminomethyl-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

1-(2'-Glycylaminomethyl-4-biphenylmethyl)-5-(4-cyanobenzyl) imidazole

Applicants : N. Rosen et al.
U.S. Serial No. : 09/445,054
Filing Date : March 27, 2000
Page : 12

1-(2'-Methyl-4-biphenylmethyl)-2-chloro-5-(4-cyanobenzyl) imidazole

1-(2'-Methyl-4-biphenylmethyl)- 4-chloro 5-(4-cyanobenzyl) imidazole

1-(3'-Chloro-2-methyl-4-biphenylmethyl)-4-(4-cyanobenzyl)imidazole

1-(3'-Chloro-2-methyl-4-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(3'-Trifluoromethyl-2-methyl-4-biphenylmethyl)-4-(4-cyanobenzyl) imidazole

1-(3'-Trifluoromethyl-2-methyl-4-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(3'-Methoxy-2-methyl-4-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(2'-Chloro-4'-fluoro-4-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(2'-Ethyl-4-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(2'-(2-Propyl)-4-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(2'-(2-Methyl-2-propyl)-4-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(2'-Ethyl-4-biphenylmethyl)-5-(4-(1H-tetrazol-5-yl)benzyl)imidazole

1-(1-(4-Cyanobenzyl)imidazol-5-ylmethoxy)-4-(2'-methylphenyl)-2-(3-N-phthalimido-1-propyl)benzene

1-(3',5'-Ditrifluoromethyl-2-methyl-4-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(3',5'-Chloro-2-methyl-4-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

Applicants : N. Rosen et al.
U.S. Serial No. : 09/445,054
Filing Date : March 27, 2000
Page : 13

1-(3',5'-Dimethyl-2-methyl-4-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(3-(N-Boc-aminomethyl)-4-biphenylmethyl)-5-(4-cyanobenzyl)-imidazole

1-(3-Aminomethyl-4-biphenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(4-Cyanobenzyl)-2-methyl-5-(2'-methylbiphenyl-4-yloxy)imidazole

5-(4-Cyanobenzyl)-1-(3-cyano-2'-trifluoromethylbiphenyl-4-ylmethyl)-imidazole

2-Amino-5-(biphenyl-4-ylmethyl)-1-(4-cyanobenzyl)imidazole

2-Amino-1-(biphenyl-4-ylmethyl)-5-(4-cyanobenzyl)imidazole

1-(3-Butylbiphenyl-4-ylmethyl)-5-(4-cyanobenzyl)-imidazole

1-(3-Propylbiphenyl-4-ylmethyl)-5-(4-cyanobenzyl)-imidazole

1-(4-Biphenylmethyl)-4-(4-cyanobenzyl-2-methylimidazole
1-(4-Cyanobenzyl)-5-[(3-fluoro-4-biphenyl)methyl]imidazole

1-(4-Cyanobenzyl)-5-[1-(4-biphenyl)-1-hydroxy]ethyl-2-methyliimidazole

1-(4-Cyanobenzyl)-5-(4-biphenylmethyl)-2-methyliimidazole

1-(4-Cyanobenzyl)-5-[1-(4-biphenyl)]ethyl-2-methyl imidazole

1-(4-Cyanobenzyl)-5-[1-(4-biphenyl)]vinylidene-2-methyliimidazole and

1-(4-Cyanobenzyl)-5-[2-(4-biphenyl)]vinylene-2-methyliimidazole

1-(4-[Pyrid-2-yl]phenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(4-[3-Methylpyrazin-2-yl]phenylmethyl)-5-(4-cyanobenzyl)imidazole

Applicants : N. Rosen et al.
U.S. Serial No. : 09/445,054
Filing Date : March 27, 2000
Page : 14

1-(4-(Pyrimidinyl-5-yl)phenylmethyl)-5-(4-cyanobenzyl)imidazole

1-(2-Phenylpyrid-5-ylmethyl)-5-(4-cyanobenzyl)imidazole

1-(2-Phenyl-N-Oxopyrid-5-ylmethyl)-5-(4-cyanobenzyl)imidazole

1-(3-Phenylpyrid-6-ylmethyl)-5-(4-cyanobenzyl)imidazole

1-(3-Phenyl-N-Oxopyrid-6-ylmethyl)-5-(4-cyanobenzyl)imidazole

1-(2-(3-Trifluoromethoxyphenyl)-pyrid-5-ylmethyl)-5-(4-cyanobenzyl)imidazole

1-(2-(2-Trifluoromethylphenyl)-pyrid-5-ylmethyl)-5-(4-cyanobenzyl)imidazole

1-(3-Phenyl-2-Chloropyrid-6-ylmethyl)-5-(4-cyanobenzyl)imidazole

1-(3-Phenyl-4-chloropyrid-6-ylmethyl)-5-(4-cyanobenzyl)imidazole

1-(2-Amino-3-phenylpyrid-6-ylmethyl)-5-(4-cyanobenzyl)imidazole

1-(2-[Pyrid-2-yl]pyrid-5-ylmethyl)-5-(4-cyanobenzyl)imidazole

N-(1-(4-Cyanobenzyl)-1H-imidazol-5-yl)methyl)-5-(pyrid-2-yl)-2-amino-pyrimidine

N,N-bis(4-Imidazolemethyl)amino-3-[(3carboxyphenyl)oxy]benzene

N,N-bis(4-Imidazolemethyl)amino-4-[(3carboxyphenyl)oxy]benzene

N,N-bis(4-Imidazolemethyl)amino-3-[(3-carbomethoxyphenyl)oxy]benzene

N,N-bis(4-Imidazolemethyl)amino-4-[(3-carbomethoxyphenyl)oxy]benzene

Applicants : N. Rosen et al.
U.S. Serial No. : 09/445,054
Filing Date : March 27, 2000
Page : 15

N-(4-Imidazolemethyl)-N-(4-nitrobenzyl)aminomethyl-3-[(3-carboxyphenyl)oxy]benzene

N-(4-Imidazolemethyl)-N-(4-nitrobenzyl)aminomethyl-3-[(3-carbomethoxyphenyl)oxy]benzene

N-(4-Imidazolemethyl)-N-(4-nitrobenzyl)amino-3-(phenoxy)benzene

N-(4-Imidazolemethyl)-N-(4-nitrobenzyl)amino-4-(phenoxy)benzene

N-(4-Imidazolemethyl)-N-(4-nitrobenzyl)amino-4-(phenylthio)benzene

N-Butyl-N-[1-(4-cyanobenzyl)-5-imidazolemethyl]amino-4-(phenoxy)benzene

N-[1-(4-Cyanobenzyl)-5-imidazolemethyl]amino-4-(phenoxy)benzene

N-(4-Imidazolemethyl)amino-3-[(3-carboxyphenyl)oxy]benzene

1-[N-(1-(4-cyanobenzyl)-5-imidazolylmethyl)-N-(4-cyanobenzyl)amino]-4-(phenoxy)benzene

(±)-4-[(4-imidazolylmethyl)amino]pentyl-1-(phenoxy)benzene

1-[(N-(1-(4-cyanobenzyl)-5-imidazolylmethyl)-N-(n-butyl)amino)methyl]-4-(phenoxy)benzene

4-[N-(1-(4-cyanobenzyl)-5-imidazolylmethyl)-N-(n-butyl)amino]-1-(phenylthio)benzene

(±)-4-[N-(1-(4-cyanobenzyl)-4-imidazolylmethyl)-N-(n-butyl)amino]-1-(phenylsulfinyl)benzene

3-[N-(4-imidazolylmethyl)-N-(n-butyl)amino]-N-(phenyl)benzenesulfonamide and

1-[N-(1-(4-cyanobenzyl)-5-imidazolylmethyl)amino]-3-methoxy-4-phenylbenzene

Applicants : A. Rosen et al.
U.S. Serial No. : 09/445,054
Filing Date : March 27, 2000
Page : 16

4-(3-[4-(2-Oxo-2-H-pyridin-1-yl)benzyl]-3-H-imidazol-4-ylmethyl)benzonitrile

4-(3-[4-(3-Methyl-2-oxo-2-H-pyridin-1-yl)benzyl]-3-H-imidazol-4-ylmethyl)benzonitrile

4-(3-[4-(2-Oxo-piperidin-1-yl)benzyl]-3-H-imidazol-4-ylmethyl)benzonitrile

4-(3-[3-Methyl-4-(2-oxopiperidin-1-yl)-benzyl]-3-H-imidazol-4-ylmethyl)benzonitrile

(4-(3-[4-(2-Oxo-pyrrolidin-1-yl)-benzyl]-3H-imidazol-4-ylmethyl)-benzonitrile

4-(3-[4-(3-Methyl-2-oxo-2-H-pyrazin-1-yl)-benzyl]-3H-imidazol-4-ylmethyl)benzonitrile

4-(3-[2-Methoxy-4-(2-oxo-2-H-pyridin-1-yl)-benzyl]-3H-imidazol-4-ylmethyl)benzonitrile

4-(1-[4-(5-Chloro-2-oxo-2H-pyridin-1-yl)-benzyl]-1H-pyrrol-2-ylmethyl)benzonitrile

4-[1-(2-Oxo-2H-[1,2']bipyridinyl-5'-ylmethyl)-1H-pyrrol-2-ylmethyl]benzonitrile

4-[1-(5-Chloro-2-oxo-2H-[1,2']bipyridinyl-5'-ylmethyl)-1H-pyrrol-2-ylmethyl]benzonitrile

4-[3-(2-Oxo-1-phenyl-1,2-dihydropyridin-4-ylmethyl)-3H-imidazol-4-ylmethyl]benzonitrile

4-(3-[1-(3-Chloro-phenyl)-2-oxo-1,2-dihydropyridin-4-ylmethyl]-3H-imidazol-4-ylmethyl)benzonitrile

or a pharmaceutically acceptable salt, disulfide or optical isomer thereof.

72. (New) The method according to Claim 70 wherein an amount of a prenyl-protein transferase inhibitor and an amount of a microtubule-stabilizing agent selected from paclitaxel,

Applicants : A. Rosen et al.
 U.S. Serial No. : 09/445,054
 Filing Date : March 27, 2000
 Page : 17

epothilone A, epothilone B, desoxyepothilone A or desoxyepothilone B are administered simultaneously.


73. (New) The method according to Claim 70 wherein an amount of a microtubule-stabilizing agent selected from paclitaxel, epothilone A, epothilone B, desoxyepothilone A or desoxyepothilone B and an amount of a prenyl-protein transferase inhibitor are administered consecutively.

74. (New) The method according to Claim 70 wherein the prenyl-protein transferase inhibitor is selected from:

2(S)-[2(S)-[2(R)-Amino-3-mercaptop]-propylamino-

3(S)-methyl]-pentyloxy-3-phenylpropionyl-methionine sulfone

isopropyl ester (Compound A)



1-(3-Chlorophenyl)-4-[1-(4-cyanobenzyl)-5-imidazolylmethyl]-2-piperazinone;

(R)-1-(3-Chlorophenyl)-4-[1-(4-cyanobenzyl)-5-imidazolylmethyl]-5-[2-(ethanesulfonyl)methyl]-2-piperazinone;

4-[1-(5-Chloro-2-oxo-2H-[1,2']bipyridinyl-5'-ylmethyl)-1H-pyrrol-2-ylmethyl]-benzonitrile and

1-[N-(1-(4-cyanobenzyl)-5-imidazolylmethyl)-N-(4-cyanobenzyl)amino]-4-(phenoxy)benzene or a pharmaceutically acceptable salt, disulfide or optical isomer thereof.